

Quality by Design in nano-pharmaceutical development: presentation of a software based prediction

Edina Pallagi*, Rita Ambrus**, Anita Kovács*, Ildikó Csóka*

*University of Szeged, Faculty of Pharmacy, Institute of Drug Regulatory Affairs, ^{**}University of Szeged, Faculty of Pharmacy, Department of Pharmaceutical Technology Eötvös str. 6, Szeged, Hungary, H-6720



manufacturing > systematic

Definition

QbD philosophy: *"***Quality**

cannot be tested into products,

it should be built in by design"



- \succ scientific
- risk-based
- \succ holistic
- proactive approach
- \succ the quality is ensured by design



Fig. 1. Pharmaceutical quality requirements and quality guidelines



Methods:

QbD:

Special software: "Lean-QbD Software"

- Developer: QbD Works LLC. (Fremont, CA, USA)
- Feature: new possibility of the risk assessment (RA)
- Principle: prior knowledge based (literature and practice)



gyetem Gyógys

szerfelügyeleti

Fig. 2. The steps and the elements of the QbD method

Benefits and expected results:

- Good RA methodology is priceless
- > Theoretical identification and scoring of factors
- > Helps in planning the design of experiments
- > Helps in focusing of efforts

Aims:

> Applying of the QbD concept in a special early pharmaceutical technological development :

- Nanosized drug (meloxicam) containing formula \triangleright Present the advantages of a software based theoretical prediction

RESULTS

> Definition of the QTTP:

- Therapeutic indication: pain relief (analgesic)
- ➢ Patient group: adults
- >Administration: alternative route (nasal)
- Site of activity: systemic effect
- > Dissolution profile: immediate release

Selection of materials and production method

- Modell active agent: meloxicam
- Suitable technique: co-grinding

Selection of CQAs and CPPs and their

Fig. 6.

Composition

(excip.type/excip.amount)

Probability rating and its results (Fig. 5-6)

- Calculation of impact scores of CQAs and CPPs

Relative impact and relative occurrence rating (Fig. 7) - Identification of factors with risk of relatively high occurrence and high impact on the QTPPs

- >Active agent profile: nanosized powder
- > Delivery system: gel (for successful application)

| ig. 3. CPPs* | Composition | Rotation time | Rotation speed | Grinder's parameters | | |
|----------------------------|-------------|------------------|-------------------|-------------------------|--|--|
| CQAs | | | | | | |
| Excipients | Medium | Low | Low | Low | | |
| Size/SA | High | High | High | Medium | | |
| Appearance | Low | Low Low J | | Low | | |
| Dissolution | High | Medium | um Medium Low | | | |
| oxicity/Irritation | High | Low | Low | Low | | |
| ructure Cryst./Amorph.) | High | Medium | Medium | Low | | |
| tability | High | Low | Low | Low | | |
| ermeability | High | Medium | Medium | Low | | |
| olubility | High | High | High | Low | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

interdependence rating results (Fig. 3-4)

| Fig. | 4. QTPPs | Therapeutic | Target | Route of | Site of | Dosage | Dissolution | Production |
|------|---------------------|-------------|-------------|-----------------|-----------|-----------|-------------|------------|
| | | indication: | population: | administration: | activity: | design: | profile: | method: |
| | COAS | Analgesia | Adults | Nasal | Systemic | Nanosized | Immediate | Co- |
| | | | | | | API | release | grinding |
|] | Excipients | Low | Low | Medium | Low | Low | High | Low |
| 5 | Size/SA | Low | Low | High | High | Low | High | Medium |
| 1 | Appearance | Low | Low | Medium | Medium | Medium | Medium | Low |
|] | Dissolution | Low | Low | Medium | High | Low | High | Medium |
| 1 | Foxicity/Irritation | Medium | Low | High | Low | Low | Low | Low |
| 5 | Structure | Low | Low | Low | Medium | Low | High | Medium |
| (| Cryst./Amorph.) | | | | | | | |
| 5 | Stability | Low | Low | Low | Low | Low | Low | Medium |
|] | Permeability | Low | Low | High | High | Low | High | Medium |
| 5 | Solubility | Low | Low | Medium | High | Low | High | High |





SUMMARY, CONCLUSION

Rotation time

CPP

- \succ QbD is well applicable also is special (nano) early developments
- > The QbD based academic research promotes the nearing of science and the industry.
- > A software based RA can predict theoretically the factors (the CQAs and the CPPs) with highest influence on the product quality.
- > This QbD based prediction results in shorter development time, lower cost, spare in human resource and more effective target-orientation in practical development.
- > These are important in case of developments which are expensive, time-consuming and complex like nanotechnological experiments.

> Details:

Please read and cite our latest article: Pallagi, E., Ambrus, R., Szabó-Révész, P., Csóka, I.: Adaptation of the quality by design concept in early pharmaceutical development of an intranasal nanosized formulation, Int. J. Pharm., 491 (1-2), 2015, pp. 384-**392.**, doi:10.1016/j.jpharm.2015.06.018

This project was supported by the TÁMOP-4.2.1.D-15/1/KONV-2015-0002



Contact:

edina.pallagi@pharm.u-szeged.hu